

LED Lamps and Fittings  
1st August, 2016



Australia's leading  
**LED lamps & Fittings**  
Platinum Range

Tel: 02-4732 5444  
Fax: 02-4732 6600  
email: [sales@nlsight.com.au](mailto:sales@nlsight.com.au)

15 Coombes Drive, Penrith, NSW, 2750 Australia



<b>MR16 Platinum Range - 3yrs Warranty - non-dimmable</b>				
<b>nls Code</b>	<b>LED 12 Volt MR16 Down Light Kits, lamps and Drivers</b>	<b>Inner</b>	<b>Outer</b>	
20289NLS	6W Fixed Twist Lock White Kit - 70mm cut-out - Hardwire	1	50	
20291NLS	6W Fixed Twist Lock White Kit - 70mm cut-out - W/Flex & Plug	1	50	
20288NLS	6W Gimble White Kit - 90mm cut-out - Hardwire	1	50	
20290NLS	6W Gimble White Kit - 90mm cut-out - W/Flex & Plug	1	50	
20293NLS	10W Fixed Twist Lock White Kit - 70mm cut-out - Hardwire	1	50	
20294NLS	10W Fixed Twist Lock White Kit - 70mm cut-out - W/Flex & Plug	1	50	
20292NLS	10W Gimble White Kit - 90mm cut-out - Hardwire (6500K)	1	50	
20310NLS	10W Gimble White Kit - 90mm cut-out - Hardwire (3000K)	1	50	
20295NLS	10W Gimble White Kit - 90mm cut-out - W/Flex & Plug (6500K)	1	50	
20311NLS	10W Gimble White Kit - 90mm cut-out - W/Flex & Plug (3000K)	1	50	
<b>LED 12Volt MR16 lamps - High Lumen output - 3yrs Warranty</b>				
10587NLS	6W LED Lamp MR16 3000°K - Warm white - 60° Beam spread	10	100	
10588NLS	6W LED Lamp MR16 6500°K - Daylight - 60° Beam spread	10	100	
10589NLS	10W LED Lamp MR16 3000°K - Warm white - 45° Beam spread	10	100	
10590NLS	10W LED Lamp MR16 6500°K - Daylight - 45° Beam spread	10	100	
10601NLS	10W LED Lamp MR16 3000°K - Warm white - 60° Beam spread	10	100	
10602NLS	10W LED Lamp MR16 6500°K - Daylight - 60° Beam spread	10	100	
<b>LED 12Volt Drivers for MR16 (Slim-line) - 3yrs Warranty</b>				
40041NLS	6W LED Driver - Hardwire	20	100	
40044NLS	6W LED Driver - W/Flex & Plug	20	100	
40042NLS	10W LED Driver - Hardwire	20	100	
40045NLS	10W LED Driver - W/Flex & Plug	20	100	
<b>LED 12Volt Drivers for MR16 (Larger terminals) - 3yrs Warranty</b>				
40050NLS	12W LED Driver - Hardwire	20	100	
40048NLS	12W LED Driver - W/Flex & Plug	20	100	
TBA	18W LED Driver - Hardwire	20	100	

LED Lamps and Fittings  
1st August, 2016




national light sources **LED lamps & Fittings**  
*Platinum Range*

Tel: 02-4732 5444  
Fax: 02-4732 6600  
email: [sales@nlsight.com.au](mailto:sales@nlsight.com.au)



<b>GU10 Platinum Range - Kits - 2yrs Warranty</b>				
<b>nls Code</b>	<b>LED 240 Volt GU10 Down Light Kits and lamps</b>	<b>Inner</b>	<b>Outer</b>	
20298NLS	10W Fixed Twist Lock White Kit - 70mm Cut-out (Daylight lamp)	1	50	
20308NLS	10W Fixed Twist Lock White Kit - 70mm Cut-out (Warm White lamp)	1	50	
20299NLS	10W Fixed Twist Lock <b>Satin Nick</b> - 70mm Cut-out (Daylight lamp)	1	50	
20300NLS	10W Gimble White Kit - 90mm cut-out (Daylight lamp)	1	50	
20309NLS	10W Gimble White Kit - 90mm cut-out (Warm White lamp)	1	50	
20301NLS	10W Gimble <b>Satin Nic</b> Kit - 90mm cut-out (Daylight lamp)	1	50	
<b>GU10 Accessories</b>				
20195NLS	GU10 lamp holder assembly	10	100	
40026NLS	1.2Mtr Flex & Plug 2 pin - Black - Flat flex, bootlace ends	50	200	
<b>Platinum Range - Bridgelux Chip USA - GU10 Lamps</b>				
<b>LED 240 Volt GU10 lamps - High Lumen output</b>				
10620NLS	6W LED lamp GU10 3000°K - Warm white	10	100	
10621NLS	6W LED lamp GU10 6500°k - Daylight	10	100	
10595NLS	10W LED lamp GU10 6500°k - Daylight	10	100	
10596NLS	10W LED lamp GU10 3000°k - Warm white	10	100	
<b>Gold Range - GU10 Lamps</b>				
<b>LED 240 Volt GU10 lamps- High Lumen Output</b>				
10627NLS	6W LED GU10 3000°K - Warm White	10	100	
10628NLS	6W LED GU10 6500°K - Daylight	10	100	
10629NLS	10W LED GU10 3000°K - Warm White	10	100	
10630NLS	10W LED GU10 6500°K - Daylight	10	100	
<i>Life 40,000hrs - 2yrs Warranty</i>				



LED Lamps and Fittings  
1st August, 2016



nls  
national light sources



nls Code	GU10 Gold Range ' Continued	Inner	Outer	
	<b>Gold Range - GU10 " Dimmable"</b>			
	<b>LED 240 Volt GU10 Lamps "Dimmable" - High Lumen Output</b>			
10637NLS	Dimmable 10WLED GU10 3000°K - Warm White	10	100	
10634NLS	Dimmable 10WLED GU10 6500°K - Daylight	10	100	
	<i>Life 40,000hrs - 2yrs Warranty</i>			
	<b>GU10 Gold Range - Kits</b>	Inner	Outer	
	<b>LED 240 Volt GU10 Down Light Kits</b>			
20323NLS	10W Fixed Twist Lock White Kit - 70mm Cut-out (Daylight lamp)	5	50	
TBA	10W Fixed Twist Lock White Kit - 70mm Cut-out (Warm White lamp)	5	50	
TBA	10W Fixed Twist Lock Satin Nick Kit - 70mm Cut-out (Daylight lamp)	5	50	
20324NLS	10W Gimble White Kit - 90mm Cut-out (Daylight lamp)	5	50	
TBA	10W Gimble White Kit - 90mm Cut-out (Warm White lamp)	5	50	
TBA	10W Gimble <b>Satin Nic</b> Kit - 90mm Cut-out (Daylight lamp)	5	50	
	<i>Life 40,000hrs - 2yrs Warranty</i>			
	<b>GU10 Silver Range - Lamps</b>			
	<b>LED 240 Volt GU10 Lamps - High Lumen Output</b>			
10635NLS	10W LED GU10 3000°K - Warm White	10	100	
10636NLS	10W LED GU10 6500°K - Daylight	10	100	
	<b>GU10 Silver Range - Kits</b>			
	<b>LED 240 Volt GU10 Down Light Kits</b>			
20266NLS	10W Gimble White Kit - 90mm Cut-out (Warm White Lamp) 3000°K	5	50	
20267NLS	10W Gimble White Kit - 90mm Cut-out (Daylight Lamp) 6500°K	5	50	
20134NLS	10W Gimble <b>Satin Nic</b> Kit - 90mm Cut-out (Daylight Lamp) 6500°K	5	50	
	<b>GU10 Fittings complete with lamp holder attached</b>	Inner	Outer	
20312NLS	Fixed White - 70mm Cut-out	1	50	
20313NLS	Fixed Satin Nic - 70mm Cut-out	1	50	
20314NLS	Gimble White - 90mm Cut-out	1	50	
20315NLS	Gimble Satin Nic - 90mm Cut-out	1	50	
20083NLS	Square Gimble Satin Nic - 90mm Cut-out ( <b>Square</b> )	1	50	



LED Lamps and Fittings  
1st August, 2016



21W-54W



nls Code	Built to Last in Australian conditions	Inner	Outer
	<b>"We only use high quality casings and componentry"</b>		
	<b>Platinum Range Flood Lights- 50,000hrs</b>		
	<b>Project LED - Metallic finish</b>		
20093NLS	24W = 150W Warm White 3000°K - IP65 - Black finish	1	8
20316NLS	24W = 150W Daylight 6500°K - IP65 - Black finish	1	8
20129NLS	24W = 150W Daylight 6500°K - IP65 - <i>Silver finish</i>	1	8
20105NLS	34W = 150W Warm White 3000°K - IP65 - Black finish	1	4
20322NLS	34W = 150W Daylight 6500°K - IP65 - Black finish	1	4
20132NLS	34W = 150W Daylight 6500°K - IP65 - <i>Silver finish</i>	1	4
20335NLS	54W = 350W Warm White 3000°K - IP65 - Black finish	1	4
20317NLS	54W = 350W Daylight 6500°K - IP65 - Black finish	1	4
20325NLS	84W = 500W Daylight 6500°K - IP65 - Black finish	1	3
20326NLS	104W = 600W Daylight 6500°K - IP65 - Black finish	1	2
20100NLS	154W = 1000W Daylight 6500°K - IP65 - Black finish	1	2
20088NLS	204W = 1200W Daylight 6500°K - IP65 - Black finish	1	1
	<b>Platinum Range Flood Lights- 50,000hrs</b>		
	<b>Project LED - Metallic finish- With Sensor</b>		
20121NLS	24W = 150W Daylight 6500°K - IP65 - Black finish - <i>With Sensor</i>	1	8
20125NLS	34W = 150W Daylight 6500°K - IP65 - Black finish - <i>With Sensor</i>	1	4
	<b>Silver Range Flood Lights IP65</b>		
20333NLS	20W Daylight 6500°K	1	8
20348NLS	30W Daylight 6500°K	1	4
20371NLS	50W Daylight 6500°K	1	4
	<b>"Best LED Floodies on the market"</b>		
	<b>LED Shop-Lighter</b>		
20087NLS	36W 3000°K with 1.5mtr Flex & Plug - Rectangle, White Frame	4	20
20104NLS	36W 6500°K with 1.5mtr Flex & Plug - Rectangle, White Frame	4	20
	<b>Weatherproof LED Fittings- IP65</b>		
	<b>Premium Heavy Duty - Wide Body Series</b>		
20327NLS	1x10W LED Weather-proof with S/S Clips	1	12
20328NLS	2x10W LED Weather-proof with S/S Clips	1	6
20329NLS	1x20W LED Weather-proof with S/S Clips	1	6
20305NLS	2x20W LED Weather-proof with S/S Clips	1	3



84W



104W



204W



**LED Lamps and Fittings**  
1st August, 2016



nls Code	LED T8 Tubes - Built in Driver	Inner	Outer
10085NLS	10W - Replace old 18W type - Frost face	1	10
10092NLS	10W - Replace old 18W type - Clear face	1	10
10090NLS	20W - Replace old 36W type - Frost face	1	10
10094NLS	20W - Replace old 36W type - Clear face	1	10
<b>Available: Glass or Plastic - Single or Double ended</b>			
<b>Anti-glare LED COB Platinum Lamps 240V GU10 Range</b>		Inner	Outer
10095NLS	6W LED lamp 3000°K Warm White - <b>Dimmable</b>	10	100
10096NLS	6W LED lamp 6500°K Daylight - <b>Dimmable</b>	10	100
10097NLS	10W LED lamp 3000°K Warm White - <b>Dimmable</b>	10	100
10098NLS	10W LED lamp 6500°K Daylight - <b>Dimmable</b>	10	100
<b>LED G4 12Volt - Non Dimmable</b>			
10140NLS	1.5W G4 Bi-Pin 12V 3000°K - PC & Ceramic	25	100
10143NLS	3W G4 Bi-Pin 12V 3000°K - Silicone	25	100
<b>LED G9 240Volt - Non Dimmable</b>			
10144NLS	2W G9 240V 3000°K	25	100
10145NLS	2.5W G9 240V 3000°K	25	100
<b>LED Ball Lights 240Volt - Non Dimmable</b>			
10640NLS	G95 13W 3000°K E27 - 1050lm	10	20
10641NLS	G95 13W 3000°K B22 - 1050lm	10	20
10642NLS	G120 15W 3000°K E27 - 1300lm	10	20
10643NLS	G120 15W 3000°K B22 - 1300lm	10	20
<b>LED A60 Globes 240Volt - Non Dimmable</b>			
10137NLS	10W E27 3000°K - 800lm	10	50
10138NLS	10W B22 3000°K - 800lm	10	50
<b>LED MR16 12Volt</b>			
10105NLS	5W 12V 3000°K - 400lm	10	100
<b>LED GU10 240Volt</b>			
10356NLS	5W 240V 3000°K - 400lm	10	100
10357NLS	5W 240V 6400°K - 400lm	10	100
<b>LED Candles</b>			
10638NLS	2W E14 Clear 240V 3000°K - 220lm - filament	10	100
10639NLS	4W E14 Clear 240V 3000°K - 400lm - filament	10	100
10358NLS	5W E14 Clear 240V 3000°K - 350lm - B35	10	50
10359NLS	5W B22 Clear 240V 3000°K - 350lm - B35	10	50
10360NLS	5W E14 Clear 240V 3000°K - 350lm - B35T	10	50





**LED Lamps and Fittings**  
1st August, 2016



nls Code	LED Candles			
10633NLS	3W SES (E14) Clear 4000K - Cool white	10	100	
10087NLS	3W ES (E27) Clear 4000K - Cool white	10	100	
10086NLS	3W SBC (B15d) Clear 4000K - Cool white	10	100	
10088NLS	3W BC (B22) Clear 4000K - Cool white	10	100	
	<b>LED A50 Standard Type - 30,000hrs</b>			
10075NLS	A50 3W E27 3000°K - Warm White	10	60	
10084NLS	A50 3W B22 3000°K - Warm White	10	60	
10100NLS	A50 3W B22 6500°K - Daylight	10	60	
10099NLS	A50 3W E27 6500°K - Daylight	10	60	
	<i>Great for general illumination</i>			
	<b>LED "energX" A60 Type - 40,000hrs</b>			
10206NLS	A60 8W B22 6500K - Daylight	10	60	
10208NLS	A60 8W B22 3000K - Warm White	10	60	
10207NLS	A60 8W E27 6500K - Daylight	10	60	
10209NLS	A60 8W E27 3000K - Warm White	10	60	
	<i>Extra Bright</i>			
	<b>LED "All in One" Down Light</b>			
20366NLS	10W 3000°K Warm White - Cut-out 90mm - <i>Non Dimmable</i> - (White)	5	50	
20367NLS	10W 6500°K Daylight - Cut-out 90mm - <i>Non Dimmable</i> - (White)	5	50	
20368NLS	10W 3000°K Warm White - Cut-out 90mm - <i>Dimmable</i> - (White)	5	50	
20369NLS	10W 4000°K Cool White - Cut-out 90mm - <i>Dimmable</i> - (White)	5	50	
20370NLS	10W 6500°K Daylight - Cut-out 90mm - <i>Dimmable</i> - (White)	5	50	
	<b>LED 1 piece Down Light with Driver, flex &amp; plug (Low Profile)</b>			
20354NLS	10W 3000°K Warm White - Cut-out 70mm - <i>Dimmable</i> - (White)	4	40	
20353NLS	10W 6500°K Daylight - Cut-out 70mm - <i>Dimmable</i> - (White)	4	40	
20357NLS	10W 3000°K Warm White - Cut-out 70mm - <i>Dimmable</i> - (Sat Nic)	4	40	
20358NLS	10W 6500°K Daylight - Cut-out 70mm - <i>Dimmable</i> - (Sat Nic)	4	40	
20084NLS	13W 3000°K Warm White - Cut-out 90mm - <i>Non Dimmable</i> - (White)	4	40	
20085NLS	13W 6500°K Daylight - Cut-out 90mm - <i>Non Dimmable</i> - (White)	4	40	
20089NLS	15W 3000°K Warm White - Cut-out 90mm - <i>Non Dimmable</i> - (White)	4	40	
20090NLS	15W 6500°K Daylight - Cut-out 90mm - <i>Non Dimmable</i> - (White)	4	40	
20094NLS	13W 3000°K Warm White - Cut-out 90mm - <i>Dimmable</i> - (White)	4	40	
20095NLS	13W 6500°K Daylight - Cut-out 90mm - <i>Dimmable</i> - (White)	4	40	

**LED Lamps and Fittings**  
1st August, 2016



20171NLS	13W 3000°K Warm White - Cut-out 90mm - <b>Dimmable (Satin Nic)</b>	4	40	
20172NLS	13W 6500°K Daylight - Cut-out 90mm - <b>Dimmable (Satin Nic)</b>	4	40	
20096NLS	15W 3000°K Warm White - Cut-out 90mm - <b>Dimmable - (White)</b>	4	40	
20097NLS	15W 6500°K Daylight - Cut-out 90mm - <b>Dimmable - (White)</b>	4	40	
20098NLS	15W 3000°K Warm White - Cut-out 90mm - <b>Dimmable (Satin Nic)</b>	4	40	
20099NLS	15W 6500°K Daylight - Cut-out 90mm - <b>Dimmable (Satin Nic)</b>	4	40	
	<b>LED Commercial Down-Light</b>	Inner	Outer	
20077NLS	20W - White Frame - 3000°K WW - 196x63mm, with Flex & Plug	1	10	
20078NLS	20W - White Frame - 4000°K CW - 196x63mm, with Flex & Plug	1	10	
20080NLS	20W - White Frame - 6500°K DL - 196x63mm, with Flex & Plug	1	10	
	<b>Cut-out 170mm - 1800 lms</b>			
20013NLS	30W - White Frame - 3000°K WW - 242x63mm, with Flex & Plug	1	10	
20187NLS	30W - White Frame - 4000°K CW - 242x63mm, with Flex & Plug	1	10	
20074NLS	30W - White Frame - 6500°K DL - 242x63mm, with Flex & Plug	1	10	
	<b>Cut-out 210mm - 2400 lms</b>			
<b>nls Code</b>	<b>LED OYSTERS</b>	Inner	Outer	
20342NLS	18W 30cm LED Oyster 3000°K	1	5	
20343NLS	18W 30cm LED Oyster 4000°K	1	5	
20344NLS	18W 30cm LED Oyster 6500°K	1	5	
20345NLS	28W 40cm LED Oyster 3000°K	1	5	
20346NLS	28W 40cm LED Oyster 4000°K	1	5	
20347NLS	28W 40cm LED Oyster 6500°K	1	5	
	<b>LED Hi-Bay's</b>	Inner	Outer	
	<b>Unique Cooling system- Extra Long life</b>			
20081NLS	150W LED Hi-Bay with Flex & plug (Control Gear only)	1	1	
20082NLS	200W LED Hi-Bay with Flex & plug (Control Gear only)	1	1	
20146NLS	45° Aluminium Reflector (To suit above fittings)	1	1	
20147NLS	120° Aluminium Reflector (To suit above fittings)	1	1	
	<b>2 Years Warranty</b>			



**Heavy Duty - Designed & Built for Australian conditions**

LED Lamps and Fittings  
1st August, 2016

**National**nls®

nls Code	LED Bollards	Inner	Outer	
20068NLS	Flat Top 10W LED Black	1	4	
20355NLS	Flat Top 10W LED Black	1	4	
20119NLS	Dome Top 10W LED Black	1	4	
20356NLS	Dome Top 10W LED Silver	1	4	
	<i>"Contact our Sales Office for any project pricing"</i>			
	LED Panel Lights			
20365NLS	24W - 295 x 595mm - 3000K, 4000K & 6000K	2	10	
20378NLS	45W - 595 x 595mm - 3000K, 4000K & 6000K	2	10	
20379NLS	45W - 295 x 1195mm - 3000K, 4000K & 6000K	2	10	
20380NLS	72W - 595 x 1195mm - 3000K, 4000K & 6000K	2	5	
20381NLS	295 x 1195mm Panel Frame for Recess Mounting/Plaster ceiling		5	

*Accessories available for surface mounting or hanging*



*"nls LED lamps are made using the latest technology and components ensuring long life and high performance"*



**National**nls®



LED Lamps and Fittings  
1st August, 2016

*National Light Sources offer the largest range of LED products to suit most applications. We have been developing our products over many years making us a most reliable supplier.*

